

U.S. DEPARTMENT OF COMMERCE  
PATENT AND TRADEMARK OFFICE

CLASSIFICATION ORDER 1906

APRIL 5, 2011

PROJECT D-7362

The following classification changes will be effected by this order:

	<u>Class</u>	<u>Subclass</u>	<u>Art Unit</u>	<u>Ex'r</u> <u>Search Room</u>
<b>Abolished:</b>	D10	104, 106, 109, 113, 114, 116, 119	2911	RND0000A51
<b>Established:</b>	D10	104.1, 104.2, 106.1-106.9, 106.91-106.95, 109.1, 109.2, 113.1-113.4, 114.1-114.9, 116.1, 118.1, 118.2, 119.1-119.4	2911	RND0000A51
<b>Title Change:</b>	D10	111, 118, 121, 124, 128	2911	RND0000A51

**The following classes are also impacted by this order:**

D8, D11, D13, D14, D17, D21, D22, D26, D29

**This order includes the following:**

- A. CLASSIFICATION MANUAL CHANGES
- B. LISTING OF PRINCIPAL SOURCE OF ESTABLISHED AND DISPOSITION OF ABOLISHED SUBCLASSES
- D. DEFINITION CHANGES AND NEW OR ADDITIONAL DEFINITIONS

CLASSIFICATION ORDER 1906

APRIL 5, 2011

PROJECT D-7362

Project Leader(s): Terrence M. Mackey

Examiner(s): George D. Kirschbaum

Editor(s): Mildred Chisholm

Publications Specialist(s): Louise Bogans

1	<b>CLOCK OR CLOCK CASE</b>	41	.Recording, e.g., time clock, etc.
2	.Combined (1)	42	.Parking meter
3	..With calendar	43	.Metronome
4	..With weather instrument	44	.Sandglass
5	..With lamp or with provision therefor	45	.Sundial
6	.Simulative	46	<b>MEASURING, REGULATING OR INDICATING INSTRUMENT, OR CASING</b>
7	..Animate		
8	...Humanoid	46.1	.Scorer or indicator for game or sport
9	..Plant life	46.2	.Food preparation type (e.g., measuring cup, spoon, etc.)
10	..Map or globe	46.3	..Plural compartment or cell
11	..Building	47	.Radiation, e.g., Geiger counter
12	..Vehicle	48	.Egg testing, e.g., candling instrument
13	..Ship's wheel	49	.Regulator or control
14	.Plural face	50	..Temperature regulator or thermostat
15	.Changeable exhibitor, e.g., digital type	51	...Combined with thermometer (2)
16	.Floor type, e.g., grandfather clock, etc.	52	.Temperature, humidity, atmospheric condition (3)
17	.Case front having openwork filigree or surrounding radiating elements	53	..Plural or combined
18	.With closure panel	54	..Simulative
19	.With handle or bail	55	..Barometer
20	..Laterally asymmetrical in front elevation	56	..Moisture
21	.Case having geometric configuration in front elevation	57	..Thermometer
22	..Substantially circular or oval	58	...Expanding fluid type
23	...With feet, distinct base or stand	59	..Weather vane
24	..Substantially rectangular or square	60	..Element or attachment (4)
25	..All sides flat and plain	61	.Geometric (5)
26	..With feet, distinct base or stand	62	..Combined
27	..Having flat and parallel sides	63	...Drafting machine
28	...With curved top	64	..Template or comparator gauge (6)
29	...With peaked or faceted top	65	..Angle or direction (7)
30	<b>WATCH, WRISTWATCH OR CASE</b>	66	...Transit or theodolite
31	.Combined	67	...Aircraft instrument
32	..With wristband or strap	68	...Compass (8)
33	.Simulative	69	...Spirit level
34	..Animate	70	..Linear or distance (9)
35	...Humanoid	71	...Rule, tape or scale (10)
36	..Plant life	72	...With casing, i.e., retractable type
37	.Pocket type	73	...Micrometer, caliper or divider type
38	.Wrist type	74	..Element or attachment (4)
39	..With dial and/or hand	75	.Electrical property
40	<b>TIME-MEASURING INSTRUMENT OR CASING</b>	76	..Oscilloscope or oscillograph
		77	..Battery, vacuum tube, transistor or spark plug tester (11)

78	..Provided with handle, or hand-held	110	..Fender guide for vehicle
79	...Clamp-around type	111	..Lamp or reflector
80	..Element or attachment (4)	112	...Ignition timing light
81	..Chemical (12)	113.1	...Road surface marker
82	..Balancer	113.2	....Cone or bollard type, e.g., cylinder, post, etc.
83	..Weight, force or density	113.3	....Barrier type
84	..Specific gravity (8)	113.4	....Sign type, e.g., warning triangle, vehicle breakdown warning reflector, etc.
85	..Pressure gauge	114.1	..Flashing, warning or directing type
86	...Tire inflation type	114.2	....Emergency light or beacon
87	..Scale	114.3	....Vehicle type
88	...Combined	114.4	.....Light bar, i.e., for emergency vehicle
89	..Vertical spring type	114.5	.....Round or dome type, i.e., for emergency vehicle
90	..Beam or balance type	114.6	....Cylinder type
91	...Provided with load platform	114.7	....Multiple fixture
92	....Standing user type	114.8	....Round or dome type
93	.....Readout at eye or waist level	114.9	....Hand held or body attached
94	..Element or attachment (4)	115	....Multiple sequential lamps, e.g., "traffic light"
95	..Beam or balance	116.1	..Aural, i.e., audible
96	..Volume, flow or rate	117	..Curb feeler for vehicle
97	..Counter	118	..Bell or chime
98	..Speedometer or tachometer	118.1	...Wind chime
99	..Public utility meter, i.e., gas, water, etc.	118.2	...For use with entryway, e.g., door, gate, etc.
100	...Electric	119.1	..Game call, i.e., for attracting animals
101	..Liquid quantity level	119.2	..Air operated
102	..Dial gauge or meter	119.3	...Whistle
103	..Element or attachment (4)	119.4	....Simulative
104.1	<b>SECURITY OR SIGNAL INSTRUMENT OR CASING</b>	120	...Siren or horn
104.2	..Lost child or person locator	121	..Element or Attachment
105	..Lightning conductor or arrestor	122	<b>DIAL, INDICATOR HAND, OR OTHER ELEMENT OR ATTACHMENT</b>
106.1	..Alarm or control thereof	123	..Dial or face plate
106.2	..Smoke, gas, or fire detector	124	..Combined (13)
106.3	...Combined	125	..Substantially rectangular or square
106.4	...Simulative	126	..Substantially circular or oval
106.5	...Round	127	..Indicator hand
106.6	..Motion or occupancy detector	128	..Watch or clock element, or attachment (14)
106.7	...Head type	129	..Movement or movement frame
106.8	...Including light fixture or light switch	130	...Pendulum
106.9	..Anti-theft alarm, e.g., EAS tag, RFID, etc.	131	..Bow, pendant, crown or stem
106.91	...Pin type	132	..Crystal, cover or protector
106.92	...Clamp type		
106.93	...Multi-wire type		
106.94	...Strap or single loop type		
106.95	..Alarm control panel		
107	..Buoy		
108	..Elevator signal or call unit		
109.1	..Visual		
109.2	..Combined		

SEARCH NOTES FOR CLASS D10

- (1) Excludes "time clock". See subclass 41.
- (2) Excludes thermometer per se. See subclasses 57 and 58.
- (3) Excludes rain gauge. See subclass 101.
- (4) Excludes dial or indicator hand. See, respectively, subclasses 122+ and 127. Includes Pitot tube.
- (5) Includes plumb bob.
- (6) Excludes eraser shield and lettering stencil. See Class D19, subclasses 37 and 40, respectively.
- (7) Includes T-square.
- (8) Includes element.
- (9) Includes altimeter and odometer.
- (10) Includes surveying rod or target.
- (11) Excludes hydrometer. See subclass 84.
- (12) Includes color comparator for swimming pool water and spectrum analysis device.
- (13) Includes combination with hands.
- (14) Includes holder or stand.

1	<b>LIGHT SOURCE</b>	44	..Pivotal head capability
2	.Electric light bulb (34)	45	..With pistol grip
3	..Fluorescent	46	..Beam supplementary to body axis, i.e., light rays directed in line with longitudinal axis
4	..Simulative		
5	...Candle or flame		
6	.Candle	47	...Simulative
7	..Simulative	48	...With distinct handle
8	.Torch	49	...Substantially circular body cross section (7)
9	<b>CANDLE HOLDER</b>		
10	.Combined with diverse article	50	..With distinct handle
11	.With light modifier	51	.Combined with diverse article
12	.With means to penetrate support surface	52	..With communications equipment, e.g., television, radio, etc. (8)
13	.Plural, i.e., candelabrum, etc.		
14	..Simulative	53	..With smokers' article
15	..Asymmetrical	54	..With clock
16	.Simulative	55	..With plant holder
17	..Animate	56	..With mirror, picture frame, or holder therefor
18	..Humanoid		
19	..Plant life	57	..Simulative
20	.With distinct drip collector, e.g., flared cup, etc.	58	..With table or cabinet
21	.Asymmetrical in elevation	59	..With fan or ventilator
22	.Circular or oval base	60	.Resiliently attached, or clamped
23	.Element or attachment (1)	61	.Articulated or adjustable (9)
24	<b>LIGHT FIXTURE</b>	62	..Gooseneck type
25	.Plural, connected series, i.e., light string	63	..Pivotal movement
26	.Receptacle mount, i.e., "night light" or screw-in type	64	...And rectilinear
27	.Fiber optic	65	...Plural pivots, i.e., more than one axis
28	.Vehicle lamp or casing (2)	66	..Rectilinear movement
29	..Articulated type	67	.Provision for post attachment or ground insertion (10)
30	..Pointer or arrow (3)	68	..Combined with standard (11)
31	..With letter, numeral, or sign, or with provision therefor (4)	69	...Plural distinct light units
32	..Simulative	70	..Plural radially arranged light units or provision therefor
33	...Hand	71	..Axially offset singular light unit (12)
34	..Combined with diverse article	72	.Attachable to overhead or vertical surface, i.e., ceiling or wall (13)
35	..Plural lamp or lens elements, or with provision therefor	73	..Simulative shape (14)
36	..Circular or oval lens, or with provision therefor (5)	74	..Recessed within mounting surface
37	.Hand-held, body-attached or lantern type (6)	75	..Fluorescent tube type
38	..Combined with diverse article	76	...Longitudinal axis parallel to support surface
39	..Body-attached	77	....Open grid-type modifier
40	..360 deg. lateral light dispersal	78	....Exposed bulb
41	...With distinct handle or carrying strap	79	...Circular tube
42	..Fluorescent tube type	80	..Plural distinct light sources, or provision therefor (15)
43	..Flexible light shaft		

81	...Attached to overhead surface	119	...Protective cover or cage, e.g., trouble light, etc.
82	...Horizontally disposed light socket	120	...Lens or panel type (19)
83	...Light source directly attached to ceiling mount	121	...Openwork
84	...Depending light source	122	...With refractive rib or groove, e.g., prismatic, etc.
85	..With light modifier	123	....Circular or oval (20)
86	...Repeating plural modifiers	124	...Circular or oval (21)
87	...Cantilevered or standoff-type support arm	125	...Simulative
88	...Attached to overhead surface	126	...Humanoid
89	...Light source enclosed between overhead and modifier	127	...Plant life
90	...Plural suspension elements from ceiling mount to modifier	128	...Chimney, globe or bowl, i.e., circumscribing or surrounding light source and being open at top and/or bottom (22)
91	...Polygonal modifier	129	...With external framework or filigree
92	..Cantilevered or standoff-type support arm	130	...Repeating or uniform pattern about point or axis (23)
93	..Freestanding fixture or standard (16)	131	....Curvilinear wall in elevation (24)
94	..Simulative	132	.....Sinuous (25)
95	...Building or tower	133	.....With radiating ribs or grooves
96	...Candle or candle holder	134	.....With radiating ribs or grooves
97	...Vehicle or component thereof	135	.....Frusto-conical or pyramidal
98	...Animate	136	.....With radiating ribs or grooves
99	...Humanoid	137	.....Cylindrical
100	....Plural	138	..Support or trim (26)
101	...Plant life	139	...Bezel, visor, or cover for vehicle lamp
102	..Plural distinct light sources or modifiers, or provision therefor	140	...Provision for security or adjustment
103	..Coil effect	141	...Frame, bridge, or harp (27)
104	..Fully enclosed light source	142	...Foot, mount, or surround (28)
105	..Light modifier open at top only	143	...Plural distinct light source supporting spokes or surrounds
106	..Bilaterally symmetrical only	144	....Three or more, e.g., spider, etc.
107	...Axially offset singular support for light source or modifier	145	...Cantilever or standoff type (29)
108	..With light modifier	146	....Simulative
109	...Horizontally elongated	147	...Simulative
110	..Repeating or uniform design about axis (17)	148	....Repeating or uniform pattern about point or axis (30)
111	...Tripartite	149	...Repeating or uniform pattern about point or axis (31)
112	..With light modifier	150	....Tripartite
113	..Element or attachment	151	....Quadripartite
114	..Liquid or gaseous fuel burner or component thereof	152	...Band, grille, or trim panel
115	...Mantle type	153	...Spindle or column (32)
116	...Wick type		
117	..Fuel reservoir		
118	..Light source cover or modifier, i.e., reflector, screen, or shade (18)		

- 154 ...Loop, pendant, or finial
- 155 ...Brace or trim arm (33)
- 156 ...Simulative

## SEARCH NOTES FOR CLASS D26

- (1) For candle cup, bobèche, or similar support or surround, see subclasses 142+.
- (2) For lens or bezel see, respectively, subclasses 120+ and 139.
- (3) For hand simulation, see subclass 33.
- (4) Includes combination with license plate holder. For vehicle visual signal other than lamp, see D10-109.1+. For vehicle audible signal, see D10-116.1+.
- (5) For lens per se, see subclasses 120+.
- (6) Includes base. For lantern bracket, see subclass 138. For bulb cage, see subclass 119. For static signaling lamp, see D10-114.1+. For table lamp, see subclasses 93+.
- (7) Includes patents showing striations, ridges, or depressions arranged around a substantially circular form.
- (8) Includes combination with phonograph.
- (9) Includes track-type light.
- (10) Attachment may be at top or bottom of fixture.
- (11) For lamp combined with distinct sign, see subclass 51. For lamp post, per se, see D25-126+. For arm, per se, see subclass 143 or 145.
- (12) For cantilevered arm, per se, see subclass 143 or 145.
- (13) Includes article that can function as a light fixture as it is shown, with only the insertion of the light source. If any other element is necessary to form the fixture, it is classified as an element in subclasses 113+. If there is doubt as to whether the disclosed article is a light fixture under this or indented subclasses, it is classified as an element under subclasses 113+.
- (14) Substantially entire article must be simulative; simulative detail not considered.
- (15) For backing plate, collar, surround, or spider, see subclasses 142+. For chandelier body, see subclasses 142+.
- (16) Includes combination of base and light source or modifier support. For subcombination, e.g., spindle, foot, modifier, etc., see subclasses 113+.
- (17) In determining symmetry in this and in indented subclasses, the harp, control knob, chains, etc., are not considered. Pattern must repeat three or more times.
- (18) For fixture backing plate, see subclasses 142+. For shade holder, see subclasses 138+. For segment panel of a shade, globe, etc., see subclass 152.
- (19) For vehicle lamp bezel, visor, or cover, see subclass 139. For catadioptric reflector, see D10-111+.
- (20) External shape only.
- (21) External shape only, visor or cover, see subclass 139.
- (22) For vehicle lamp bezel.
- (23) Pattern must repeat three or more times.
- (24) Exclusive of mount flange.
- (25) Exclusive of mount flange.
- (26) If the claimed disclosure includes a combination of a wall or ceiling mount support, etc., with a modifier or light source, e.g., socket, article is classified light fixture in subclasses 24+. For combined lamp post and modifier support, see D25-126+.
- (27) Includes mantle support.
- (28) Includes base member, per se. Includes chandelier body. Includes collar-type surround. For modifier trim band, see subclass 152.
- (29) For brace or trim arm, see subclass 155. For mount plate or support having security or adjustment provision, see subclass 140. For plural type, see subclasses 143+.
- (30) Pattern must repeat three or more times.
- (31) Pattern must repeat three or more times.
- (32) For post, see D25-126+.
- (33) For support arm, see subclasses 145+.
- (34) Includes photographic flashbulb.



## CLASS D10 - MEASURING, TESTING, OR SIGNALLING INSTRUMENTS

Additions and Modifications to the Class Schedule:

In the Class Schedule: Under the Search Notes:

Delete:

The numbered search notes as follows:

- (13) Excludes bell, siren, etc. See subclasses 116+. Includes smoke detector.
- (14) Excludes pyrotechnic flare. See D22-112.
- (15) Subject matter in this and indented subclasses is distinguished from the subject matter in Class D26 in being exclusively for signaling purposes. For illumination lamps, or those combining both illumination and signaling functions, see Class D26. For lantern or flashlight, see D26.
- (16) Includes bell. Includes wind chime.
- (17) Includes whistle.

Renumber:

The remaining search notes as follows:

- (18) renumber as (13)
- (19) renumber as (14)

## CLASS D26 -- LIGHTING

Additions and Modifications to the Class Schedule:

In the Class Schedule: Under the Search Notes:

Delete:

The numbered search note as follows:

- (4) Includes combination with license plate holder. For vehicle signal other than lamp, see D10-109.

Insert:

The following new search note:

- (4) Includes combination with license plate holder. For vehicle visual signal other than lamp, see D10-109.1+. For vehicle audible signal, see D10-116.1+.

Delete:

The numbered search note as follows:

- (6) Includes base. For lantern bracket, see subclass 138. For bulb cage, see subclass 119. For static signaling lamp, see D10-114. For table lamp, see subclasses 93+.

Insert:

The following new search note:

- (6) Includes base. For lantern bracket, see subclass 138. For bulb cage, see subclass 119. For static signaling lamp, see D10-114.1+. For table lamp, see subclasses 93+.

APRIL 5, 2011

D-7362

SOURCE CLASSIFICATION(S) OF PATENTS  
IN NEWLY ESTABLISHED SUBCLASSES REPORT

Generated by Data Control Division

<u>New Classification</u>	<u>Number of ORs</u>	<u>Source Classification</u>	<u>Number of ORs</u>
D10/104.1	1	D10/109	360
	1	D10/113	210
	1	D10/119	148
	3	D10/106	918
	6	D10/104	529
	410	D10/104	529
D10/104.2	8	D10/106	918
	14	D10/104	529
D10/106.1	1	D10/106	918
	1	D10/116	288
	2	D10/104	529
	432	D10/106	918
D10/106.2	1	D10/104	529
	1	D10/106	918
	67	D10/106	918
D10/106.3	1	D10/106	918
	2	D10/106	918
D10/106.4	17	D10/106	918
D10/106.5	1	D10/104	529
	1	D10/116	288
	5	D10/106	918
	138	D10/106	918
D10/106.6	4	D10/106	918
	8	D10/104	529
	104	D10/106	918
D10/106.7	2	D10/104	529
	2	D10/104	529
	19	D10/106	918
D10/106.8	1	D10/114	549
	2	D10/106	918
	8	D10/104	529
	19	D10/106	918
D10/106.9	5	D10/106	918
	10	D10/104	529
	10	D10/106	918
D10/106.91	1	D10/104	529
	4	D10/106	918
	8	D10/104	529
	20	D10/106	918
D10/106.92	2	D10/104	529
	2	D10/106	918
	3	D10/106	918
D10/106.93	2	D10/104	529

APRIL 5, 2011

D-7362

SOURCE CLASSIFICATION(S) OF PATENTS  
IN NEWLY ESTABLISHED SUBCLASSES REPORT

Generated by Data Control Division

<u>New Classification</u>	<u>Number of ORs</u>	<u>Source Classification</u>	<u>Number of ORs</u>
	2	D10/106	918
D10/106.94	3	D10/106	918
	8	D10/104	529
D10/106.95	1	D10/109	360
	2	D10/104	529
	3	D10/106	918
	16	D10/106	918
D10/109.1	1	D10/106	918
	1	D10/114	549
	2	D10/113	210
	8	D10/109	360
	25	D10/114	549
	247	D10/109	360
D10/109.2	1	D10/109	360
	1	D10/119	148
	2	D10/113	210
	2	D10/114	549
	3	D10/106	918
	3	D10/116	288
	17	D10/114	549
D10/111	1	D10/113	210
	2	D10/109	360
	18	D10/114	549
D10/112	1	D10/114	549
D10/113.1	1	D10/114	549
	5	D10/109	360
	122	D10/113	210
D10/113.2	1	D10/114	549
	2	D10/109	360
	3	D10/113	210
	6	D10/114	549
	27	D10/109	360
	32	D10/113	210
D10/113.3	4	D10/113	210
	5	D10/114	549
	28	D10/113	210
	29	D10/109	360
D10/113.4	2	D10/113	210
	2	D10/113	210
	2	D10/114	549
	13	D10/114	549
	18	D10/109	360
D10/114.1	1	D10/104	529

APRIL 5, 2011

D-7362

SOURCE CLASSIFICATION(S) OF PATENTS  
IN NEWLY ESTABLISHED SUBCLASSES REPORT

Generated by Data Control Division

<u>New Classification</u>	<u>Number of ORs</u>	<u>Source Classification</u>	<u>Number of ORs</u>
	1	D10/106	918
	2	D10/113	210
	2	D10/114	549
	3	D10/113	210
	201	D10/114	549
D10/114.2	1	D10/109	360
	2	D10/104	529
	2	D10/106	918
	2	D10/114	549
	36	D10/114	549
D10/114.3	25	D10/114	549
D10/114.4	11	D10/114	549
	55	D10/114	549
D10/114.5	2	D10/114	549
D10/114.6	16	D10/114	549
D10/114.8	1	D10/104	529
	2	D10/109	360
	3	D10/114	549
	38	D10/114	549
D10/114.9	15	D10/109	360
	37	D10/114	549
D10/115	13	D10/114	549
D10/116.1	1	D10/106	918
	2	D10/114	549
	216	D10/116	288
D10/118	1	D10/109	360
	35	D10/116	288
D10/118.1	13	D10/116	288
D10/118.2	1	D10/106	918
	1	D10/116	288
D10/119.1	2	D10/116	288
	2	D10/119	148
	6	D10/116	288
	19	D10/119	148
D10/119.2	67	D10/119	148
D10/119.3	2	D10/116	288
	6	D10/119	148
	30	D10/119	148
D10/119.4	1	D10/119	148
	19	D10/119	148
D10/120	2	D10/116	288
D10/121	1	D10/116	288
	2	D10/104	529

APRIL 5, 2011

D-7362

SOURCE CLASSIFICATION(S) OF PATENTS  
IN NEWLY ESTABLISHED SUBCLASSES REPORT

Generated by Data Control Division

<u>New Classification</u>	<u>Number of ORs</u>	<u>Source Classification</u>	<u>Number of ORs</u>
	2	D10/113	210
	7	D10/106	918
	9	D10/114	549
D10/46	1	D10/106	918
	1	D10/116	288
D10/47	2	D10/106	918
D12/608	3	D10/113	210
D13/146	1	D10/106	918
D14/141.1	1	D10/104	529
D14/155	1	D10/116	288
D14/159	1	D10/106	918
	16	D10/104	529
D14/185	1	D10/106	918
D14/187	2	D10/116	288
D14/230	1	D10/104	529
D14/240	1	D10/104	529
D14/357	1	D10/104	529
D14/432	2	D10/106	918
D17/10	1	D10/119	148
D17/22	1	D10/116	288
D20/10	2	D10/114	549
D21/609	1	D10/119	148
D22/101	1	D10/106	918
D26/28	1	D10/113	210
D26/51	2	D10/114	549
D26/60	1	D10/104	529
D30/152	2	D10/106	918
	4	D10/104	529
D30/199	11	D10/104	529

APRIL 5, 2011

D-7362

DISPOSITION CLASSIFICATION(S) OF PATENTS  
FROM ABOLISHED SUBCLASSES REPORT

Generated by Data Control Division

<u>Source Classification</u>	<u>Number of ORs</u>	<u>New Classification</u>	<u>Number of ORs</u>
D10/106	918	D10/109.1	1
D10/114	549	D10/106.8	1
D10/106	918	D10/106.8	19
D10/104	529	D10/104.1	6
		D10/106.91	1
		D10/114.8	1
D10/116	288	D10/118.2	1
D10/106	918	D10/106.92	3
D10/114	549	D10/111	18
D10/106	918	D10/121	7
		D10/47	2
D10/109	360	D10/118	1
D10/119	148	D17/10	1
D10/104	529	D10/104.1	410
D10/109	360	D10/109.2	1
D10/119	148	D10/119.1	19
		D10/119.4	19
D10/114	549	D10/114.4	55
		D10/113.4	13
D10/104	529	D10/114.2	2
D10/116	288	D10/119.1	2
D10/114	549	D10/114.8	3
D10/116	288	D17/22	1
D10/104	529	D14/240	1
D10/106	918	D14/432	2
		D30/152	2
D10/104	529	D30/152	4
D10/116	288	D10/109.2	3
D10/113	210	D10/114.1	2
D10/114	549	D10/114.9	37
D10/104	529	D10/114.1	1
		D10/106.7	2
D10/116	288	D10/119.3	2
D10/113	210	D10/109.1	2
D10/109	360	D10/104.1	1
D10/106	918	D10/109.2	3
		D10/106.5	5
D10/119	148	D10/119.3	6
D10/109	360	D10/109.1	8
D10/114	549	D10/112	1
D10/104	529	D14/141.1	1
D10/106	918	D22/101	1
D10/116	288	D14/187	2

APRIL 5, 2011

D-7362

DISPOSITION CLASSIFICATION(S) OF PATENTS  
FROM ABOLISHED SUBCLASSES REPORT

Generated by Data Control Division

<u>Source Classification</u>	<u>Number of ORs</u>	<u>New Classification</u>	<u>Number of ORs</u>
D10/104	529	D10/106.8	8
D10/106	918	D10/106.95	16
		D10/114.1	1
D10/113	210	D10/113.1	122
D10/104	529	D10/106.93	2
D10/114	549	D10/116.1	2
D10/113	210	D10/104.1	1
D10/106	918	D10/106.2	67
		D10/106.5	138
D10/114	549	D10/109.1	25
D10/116	288	D10/116.1	216
D10/106	918	D10/106.1	432
D10/104	529	D10/104.2	14
D10/106	918	D10/106.3	2
D10/114	549	D10/113.3	5
D10/116	288	D10/118.1	13
D10/106	918	D10/106.9	5
D10/119	148	D10/119.1	2
D10/114	549	D10/109.1	1
D10/109	360	D10/114.8	2
D10/114	549	D20/10	2
D10/116	288	D10/121	1
D10/119	148	D10/109.2	1
D10/116	288	D10/119.1	6
D10/104	529	D10/106.92	2
D10/114	549	D10/114.3	25
		D10/114.1	201
D10/106	918	D10/118.2	1
D10/104	529	D10/106.6	8
D10/109	360	D10/113.3	29
		D10/109.1	247
		D10/113.2	27
D10/114	549	D10/113.2	1
D10/106	918	D10/106.2	1
D10/114	549	D10/114.4	11
		D10/115	13
D10/106	918	D10/46	1
D10/114	549	D10/121	9
D10/104	529	D14/159	16
D10/116	288	D10/120	2
D10/104	529	D10/106.1	2
D10/113	210	D10/113.2	32
D10/106	918	D10/106.91	20



APRIL 5, 2011

D-7362

DISPOSITION CLASSIFICATION(S) OF PATENTS  
FROM ABOLISHED SUBCLASSES REPORT

Generated by Data Control Division

<u>Source Classification</u>	<u>Number of ORs</u>	<u>New Classification</u>	<u>Number of ORs</u>
D10/104	529	D10/106.91	8
D10/109	360	D10/113.1	5
D10/114	549	D10/113.2	6
D10/113	210	D10/113.3	28
D10/106	918	D10/104.2	8
D10/114	549	D10/114.2	36
D10/109	360	D10/114.2	1
D10/119	148	D10/104.1	1
D10/106	918	D10/106.92	2
D10/119	148	D10/119.3	30
D10/106	918	D10/106.6	4
		D10/106.95	3
D10/114	549	D10/109.2	2
D10/106	918	D10/106.1	1
D10/116	288	D10/118	35
D10/106	918	D13/146	1
D10/113	210	D26/28	1
		D10/111	1
		D10/121	2
D10/106	918	D10/106.6	104
D10/114	549	D10/109.2	17
D10/104	529	D10/106.9	10
D10/114	549	D10/113.1	1
D10/106	918	D10/106.9	10
D10/116	288	D10/106.5	1
D10/106	918	D10/106.94	3
D10/104	529	D10/106.95	2
D10/106	918	D10/104.1	3
D10/116	288	D10/106.1	1
D10/113	210	D10/113.2	3
		D10/113.4	2
D10/106	918	D10/106.93	2
D10/119	148	D10/119.4	1
D10/106	918	D10/106.8	2
		D10/106.3	1
D10/109	360	D10/113.2	2
D10/104	529	D14/357	1
D10/109	360	D10/111	2
D10/104	529	D26/60	1
D10/113	210	D12/608	3
D10/114	549	D26/51	2
D10/104	529	D14/230	1
		D30/199	11

APRIL 5, 2011

D-7362

DISPOSITION CLASSIFICATION(S) OF PATENTS  
FROM ABOLISHED SUBCLASSES REPORT

Generated by Data Control Division

<u>Source Classification</u>	<u>Number of ORs</u>	<u>New Classification</u>	<u>Number of ORs</u>
		D10/106.94	8
D10/114	549	D10/114.8	38
D10/106	918	D10/106.7	19
D10/113	210	D10/109.2	2
D10/106	918	D10/114.2	2
D10/114	549	D10/114.5	2
		D10/114.6	16
D10/106	918	D10/116.1	1
		D10/106.4	17
D10/109	360	D10/113.4	18
		D10/114.9	15
D10/106	918	D10/106.91	4
D10/113	210	D10/114.1	3
		D10/113.3	4
D10/114	549	D10/114.1	2
		D10/114.2	2
		D10/113.4	2
D10/104	529	D10/121	2
D10/116	288	D10/46	1
D10/106	918	D14/159	1
		D14/185	1
D10/119	148	D21/609	1
D10/116	288	D14/155	1
D10/104	529	D10/106.2	1
D10/109	360	D10/106.95	1
D10/119	148	D10/119.2	67
D10/104	529	D10/106.5	1

CLASS D08 – TOOLS AND HARDWARE

Definitions Modified:

Class Definition: Under SECTION II, REFERENCES TO OTHER CLASSES, SEE OR SEARCH CLASS

Delete:

The reference to Class D10

Insert:

D10, Measuring, Testing, or Signalling Instruments, subclasses 46-103 for measuring or testing machine; subclasses 116.1-120 for door chime, bell, horn or siren.

## CLASS D10 - MEASURING, TESTING, OR SIGNALLING INSTRUMENTS

Definitions AbolishedSubclasses

104, 106, 109, 113, 114, 116, 119

Definitions Established:**104.1 SECURITY OR SIGNAL INSTRUMENT OR CASING:**

This subclass is indented under the class definition. Design for physical safety or alarm device or casing therefore. Remote controls dealing specifically with security devices should be placed in Class D10/104.1. All other remote controls for electronic devices should be placed in Class D14/218.

- (1) Note. "Signal" should be defined as something that alerts an individual in some way. Wave form devices (electrical signals) should be placed in Class D13 or Class D14 depending on their usage.

## SEE OR SEARCH THIS CLASS, SUBCLASS

46, for radar detector designs.

## SEE OR SEARCH CLASS:

- D2, Apparel and Haberdashery, subclass 628 for belt having signal feature.
- D12, Transportation, subclass 192 for vehicle instrument panel.
- D13, Equipment for Production, Distribution, or Transformation of Energy, subclass 133 for grounding bar.
- D14, Recording, Communication, or Information Retrieval Equipment, subclass 159 for baby monitor transmitters/receivers, and subclasses 204-216 for megaphone or speaker.
- D17, Musical Instruments, subclass 22 for musical chime, bell or horn.
- D18, Printing and Office Machinery, subclasses 24-33 for lettering stencil or type font.
- D19, Office Supplies; Artists and Teachers Materials, subclasses 35-58 for drawing, drafting or writing implement.
- D20, Sales and Advertising Equipment, subclass 17 for road or highway sign, and subclass 18 for reminder or program indicator.
- D22, Arms, Pyrotechnics, Hunting and Fishing Equipment, subclass 112 for pyrotechnic flare.
- D26, Lighting, subclasses 28-36 for vehicle illumination lamps, or those combining both illumination and signaling functions, and subclasses 37-50 for flashlight or lantern.

D30, Animal Husbandry, subclass 152 for electronic units used for training dogs, and subclass 199 for other controls.

**104.2 Lost child or person locator:**

This subclass is indented under subclass 104.1. Design used for locating lost individuals.

(1) Note. Designs are used for locating individuals but are not specifically GPS navigation-units.

SEE OR SEARCH THIS CLASS, SUBCLASS

61-74, for designs of GPS navigational units.

**106.1 Alarm or control thereof:**

This subclass is indented under subclass 104.1. Design for an alarm or control thereof.

**106.2 Smoke, gas, or fire detector:**

This subclass is indented under subclass 106.1. Design for specifically detecting and alerting to the presence of smoke, gases, or fire.

**106.3 Combined:**

This subclass is indented under subclass 106.2. Design combined with an article that, if disclosed separately, would be proper subject matter for a subsequent subclass or design patent class.

**106.4 Simulative:**

This subclass is indented under subclass 106.2. Design that includes an ornamental appearance of another article as surface ornamentation or in three-dimensional representation.

**106.5 Round:**

This subclass is indented under subclass 106.2. Design for smoke, gas, or fire detectors that are round in configuration.




Figure 1. Example of a design for a round smoke, gas, or fire.

**106.6 Motion or occupancy detector:**

This subclass is indented under subclass 106.1. Design for a device that detects the presence of motion or the occupancy of a space and then activates an alarm, alert, light, or other signaling device.

**106.7 Head type:**

This subclass is indented under subclass 106.6. Design for a motion or occupancy detector that is mounted on an adjustable stalk.



Figure 1. Example of a design for a motion or occupancy sensor that is part of a light fixture.

SEE OR SEARCH CLASS

D26, Lighting, subclass 65 for articulated or adjustable lights with plural pivots.

**106.8 Including light fixture or light switch:**

This subclass is indented under subclass 106.6. Design for a motion or occupancy sensor that is part of a light fixture or light switch unit.




Figure 1. Example of a design for a motion or occupancy sensor that is part of a light fixture.



Figure 2. Example of a design for a motion or occupancy sensor that is part of a light fixture.

**106.9 Anti-theft alarm, e.g., EAS tag, RFID, etc.:**

This subclass is indented under subclass 106.1. Design for an anti-theft alarm.

**SEE OR SEARCH CLASS**

340, Communications: Electrical, subclasses 568.1-572.9 for alarms for alerting to article placement or removal (e.g., anti-theft).

**106.91 Pin type:**

This subclass is indented under subclass 106.9. Design for pin type anti-theft alarm.

- (1) Note. These types of alarms are used on clothing with a pin that punctures the fabric and inserts into a main body.




Figure 1. Example of a design for a pin-type antitheft alarm used on clothing.



Figure 2. Example of a design for a pin-type antitheft alarm used on clothing.

**106.92 Clamp type:**

This subclass is indented under subclass 106.9. Design for clamp type anti-theft alarm tags.

- (1) Note. These types of alarms wrap around or down on an item, with a hinge on one side and some form of locking tab on the other.



Figure 1. Example of a design for a clamp-type antitheft alarm.



Figure 2. Example of a design for a clamp-type antitheft alarm.

**SEE OR SEARCH CLASS**

70, Locks, particularly subclasses 19, 57, and 209, for locking devices.

D8, Tools and Hardware, subclass 333 for closed loop locking devices.

**106.93 Multi-wire type:**

This subclass is indented under subclass 106.9. Design for multi-wire type anti-theft alarm tag.

- (1) Note. These types of alarms have a central unit with wires that wrap around the product. Also known as a cabled security device.





Figure 1. Example of a design for a multiwire antitheft alarm tag.





Figure 2. Example of a design for a multiwire antitheft alarm tag.

**106.94 Strap or single loop type:**

This subclass is indented under subclass 106.9. Design for strap or loop type anti-theft alarm tag.

- (1) Note. These types of alarms have a single loop emanating from a device that threads through a product. Usually used to secure clothing such as jackets to clothing racks.



Example of a design for a single loop-type antitheft alarm tag.

**106.95 Alarm control panel:**

This subclass is indented under subclass 106.1. Design for alarm control panels.

SEE OR SEARCH CLASS

D13, Equipment for Production, Distribution or Transformation of Energy, particularly subclasses 162-164 for general purpose designs of control panels.

D14, Recording, Communication, or Information Retrieval Equipment, subclass 257 for control panel for a data processing machine.

**109.1 Visual:**

This subclass is indented under subclass 104.1. Design for visual alert devices.

- (1) Note. These types of alarms include flags, balloons, vests, gloves and signs used to alert, warn, or direct viewers.

SEE OR SEARCH CLASS

D22, Arms, Pyrotechnics, Hunting and Fishing Equipment, subclass 112 for pyrotechnic flare.

**109.2 Combined:**

This subclass is indented under subclass 109.1. Design combined with an article that, if disclosed separately, would be proper subject matter for a subsequent subclass or design patent class.

**113.1 Road surface marker:**

This subclass is indented under subclass 111. Design for road surface markers.

- (1) Note. Items that are flat or low in profile and used on a road or pedestrian surface.



Figure 1. Example of a design for a reflective road surface marker.

SEE OR SEARCH CLASS

116, Signals and Indicators, particularly subclasses 63R, 63P, and 63T for street traffic signals and indicators.

**113.2 Cone or bollard type, e.g., cylinder, post, etc.:**

This subclass is indented under subclass 113.1. Design for safety cones or bollards.

- (1) Note. Cones can be conical or triangular in profile. Bollards can be round, square, or the like in profile. Includes single post traffic delineators.



Figure 1. Example of a design for a safety cone or bollard.



Figure 2. Example of a design for a safety bollard.



Figure 3. Example of a design for a safety cone.

#### SEE OR SEARCH CLASS

116, Signals and Indicators, particularly subclasses 63R, 63P, and 63T for street traffic signals and indicators.

#### 113.3 Barrier type:

This subclass is indented under subclass 113.1. Design for barrier type signal devices.

- (1) Note. For separating cars or pedestrians from vehicular lanes of traffic, i.e., "Jersey wall barriers," barrels, and "traffic delineators."




Figure 1. Example of a design for a Jersey wall barrier.




Figure 2. Example of a design for a barrel-type barrier.



Figure 3. Example of a design for a traffic delineator.

SEE OR SEARCH CLASS

116, Signals and Indicators, particularly subclasses 63R, 63P, and 63T for street traffic signals and indicators.

**113.4 Sign type, e.g., warning triangle, vehicle breakdown warning reflector, etc.:**  
This subclass is indented under subclass 113.1. Design for sign type warning devices.

(1) Note. Includes “wet floor” style placards, but only ones use for warning.



Figure 1. Example of a design for a sign-type warning device.




Figure 2. Example of a design for a sign-type warning device.

SEE OR SEARCH CLASS

116, Signals and Indicators, particularly subclasses 63R, 63P, and 63T for street traffic signals and indicators.

**114.1 Flashing, warning or directing type:**

This subclass is indented under subclass 111. Design for flashing, warning, or directing type signal devices.

**114.2 Emergency light or beacon:**

This subclass is indented under subclass 114.1. Design for emergency light or beacons.

(1) Note. Includes static emergency lighting used in the case of power outages.




Figure 1. Example of a design for an emergency light.

**114.3 Vehicle type:**

This subclass is indented under subclass 114.1. Design for vehicle type alert lights

**114.4 Light bar, i.e., for emergency vehicle:**

This subclass is indented under subclass 114.3. Design for light bars to be mounted on emergency vehicles.

- (1) Note. The kind of light used on the roof of fire or police type vehicle.




Figure 1. Example of a design for a light bar for an emergency vehicle.




Figure 2. Example of a design for a light bar for an emergency vehicle.

SEE OR SEARCH CLASS

362, Illumination, subclasses 540-549 for visual identification lights.

D26, Lighting, particularly subclasses 72 and 85 for lights attachable to over head surfaces and florescent lighting fixtures.

**114.5 Round or dome type, i.e., for emergency vehicle:**

This subclass is indented under subclass 114.3. Design for round or dome type lights to be mounted on emergency vehicles.

**114.6 Cylinder type:**

This subclass is indented under subclass 114.1. Design for cylinder shaped warning or alert lights.



Figure 1. Example of a design for a cylindrical warning or alert light.

**114.7 Multiple fixture:**

This subclass is indented under subclass 114.1. Design for signal or warning lights having multiple fixtures.

**114.8 Round or dome type:**

This subclass is indented under subclass 114.1. Design for signal or warning lights having a round or dome profile.




Figure 1. Example of a design for a round or domed warning light.



Figure 2. Example of a design for a round or domed warning light.

**114.9 Hand held or body attached:**

This subclass is indented under subclass 114.1. Design for warning or signal lights being hand held or body mounted attached.

(1) Note. Includes chemi-luminescent sticks and traditional, non-areal flares.

**116.1 Aural, i.e., audible:**

This subclass is indented under subclass 104.1. Design for aural (sound) signaling devices.

**118.1 Wind chime:**

This subclass is indented under subclass 118. Design for wind chimes.

SEE OR SEARCH CLASS

D17, Musical Instruments, subclasses 10-13 for musical wind instruments.

**118.2 For use with entryway, e.g., door, gate, etc.:**

This subclass is indented under subclass 118. Design for aural signaling devices for use in entryways.

- (1) Note. Includes doorbells. Doorbell buttons, per se, should be classified in Class D13 subclass 171 for button operated switches.

SEE OR SEARCH CLASS

- D13, Equipment for Production, Distribution or Transformation of Energy, particularly subclass 171 for doorbell buttons.

**119.1 Game call, i.e., for attracting animals:**

This subclass is indented under subclass 116.1. Design for game (animal) calls.

SEE OR SEARCH CLASS

- 446, Amusement Devices: Toys, particularly subclasses 202-216 for air-driven and hand-actuated devices.

**119.2 Air operated:**

This subclass is indented under subclass 116.1. Design for air operated signal or warning aural device.

**119.3 Whistle:**

This subclass is indented under subclass 119.2. Design for air operated whistles, predominately hand held.

SEE OR SEARCH CLASS

- D17, Musical Instruments, subclasses 10-13 for musical wind instruments.
- 446 Amusement Devices: Toys, particularly subclasses 202-216 for air-driven and hand-actuated devices.
- 116 Signals and Indicators, subclasses 137R and 139 for whistles.

**119.4 Simulative:**

This subclass is indented under subclass 119.3. Design that includes an ornamental appearance of another article as surface ornamentation or in three-dimensional representation.



## CLASS D11 – JEWELRY, SYMBOLIC INSIGNIA, AND ORNAMENTS

Definitions Modified:

Subclass 95: Under SEE OR SEARCH CLASS

Delete:

The reference to Class D10.

Insert:

D10, Measuring, Testing, or Signalling Instruments, subclass 109.1 for designs of visual signaling devices.

Subclass 165: Under SEE OR SEARCH CLASS

Delete:

The reference to Class D10.

Insert:

D10, Measuring, Testing, or Signaling Instruments, subclass 109.1 for designs of visual signaling devices.

CLASS D13 – EQUIPMENT FOR PRODUCTION, DISTRIBUTION, OR  
TRANSFORMATION OF ENERGY

Definitions Modified:

Class Definition: Under SECTION II, REFERENCES TO OTHER CLASSES, SEE OR  
SEARCH CLASS

Delete:

The reference to Class D10

Insert:

D10, Measuring, Testing, or Signalling Instruments, subclasses 30- 39 for electrically driven apparatus, such as electric watches; subclass 40 for timer; subclasses 46-103 for housing for measuring or testing instruments; subclass 70 for radar; subclasses 75-80 for apparatus for regulating or indicating electrical property; subclass 77 for battery tester; subclass 105 for lightning conductor or arrester; subclass 106.1 for remote controls specific to security systems.

Subclass 123: Under SEE OR SEARCH CLASS

Delete:

The reference to Class D10

Insert:

D10, Measuring, Testing, or Signalling Instruments, subclass 77 for battery tester; subclass 105 for lightning conductor or arrester; subclass 106.1 for remote controls specific to security systems.

CLASS D14 - RECORDING, COMMUNICATION, OR INFORMATION RETRIEVAL  
EQUIPMENT

Definitions Modified:

Class Definition: Under SECTION II – REFERENCES TO OTHER CLASSES

Delete:

The reference of Class D10

Insert

SEE OR SEACH CLASS

D10, Measuring, Testing, or Signalling Instruments, subclasses 106.1-106.95 for designs for alarm or control thereof, including remote controls specific to security systems, e.g., garage door openers, automobile keyless entry FOBs, etc.

## CLASS D17 – MUSICAL INSTRUMENTS

Definitions Modified:

Class Definition: Under SECTION II, REFERENCES TO OTHER CLASSES, SEE OR SEARCH CLASS

Delete:

The reference to Class D10

Insert:

D10, Measuring, Testing, or Signalling Instruments, subclasses 118-118.2 for bell or wind chime designs.

Subclass 1: Under SEE OR SEARCH CLASS

Delete:

The reference to Class D10

Insert:

D10, Measuring, Testing, or Signalling Instruments, subclasses 118-118.2 for bell or wind chime designs.

Subclass 10: Under SEE OR SEARCH CLASS

Delete:

The reference to Class D10

Insert:

D10, Measuring, Testing, or Signalling Instruments, subclasses 118-118.2 for bell or wind chime designs.

Subclass 22: Under SEE OR SEARCH CLASS

Delete:

The reference to Class D10

Insert:

D10, Measuring, Testing, or Signalling Instruments, subclasses 118-118.2 for bell or wind chime designs.

Subclass 24: Under SEE OR SEARCH CLASS

Delete:

The reference to Class D10.

Insert:

D10, Measuring, Testing, or Signalling Instruments, subclasses 118-118.2 for bell or wind chime designs.

## CLASS D21 – GAMES, TOYS, AND SPORTS GOODS

Definitions Modified:

Class Definition: Under SECTION II, REFERENCES TO OTHER CLASSES, SEE OR SEARCH CLASS

Delete:

The reference to Class D10

Insert:

D10, Measuring, Testing or Signalling Instruments, subclass 46.1 for lap counter or scorekeeper or indicator; subclass 61-74 for designs of GPS navigational units, and subclass 70 in particular for designs of range finder instruments; subclass 83 for designs for strength-measuring devices; subclass 119.1 for game calls for attracting animals; subclass 119.3 for whistles; subclass 120 for horns.

Subclass 300: Under SEE OR SEARCH CLASS

Delete:

The reference to Class D10

Insert:

D10, Measuring, Testing or Signalling Instruments, subclass 46.1 for lap counter or scorekeeper or indicator; subclass 61-74 for designs of GPS navigational units, and subclass 70 in particular for designs of range finder instruments; subclass 83 for designs for strength-measuring devices; subclass 119.1 for game calls for attracting animals; subclass 119.3 for whistles; subclass 120 for horns.

Subclass 385: Under SEE OR SEARCH CLASS

Delete:

The reference to Class D10.

Insert:

D10, Measuring, Testing or Signalling Instruments, subclass 46.1 for lap counter or scorekeeper or indicator; subclass 61-74 for designs of GPS navigational units, and subclass 70 in particular for designs of range finder instruments; subclass 83

for designs for strength-measuring devices; subclass 119.1 for game calls for attracting animals; subclass 119.3 for whistles; subclass 120 for horns.

Subclass 398: Under SEE OR SEARCH CLASS

Delete:

The reference to Class D10

Insert:

D10, Measuring, Testing, or Signalling Instruments, subclasses 119.3 for whistles and subclass 120 for horns.

Subclass 405: Under SEE OR SEARCH CLASS

Delete:

The reference to Class D10

Insert:

D10, Measuring, Testing, or Signalling Instruments, subclasses 119.2-120 for air-operated whistles and horns.

Subclass 411: Under SEE OR SEARCH CLASS

Delete:

The reference to Class D10

Insert:

D10, Measuring, Testing, or Signalling Instruments, subclasses 119.3 for whistles and subclass 120 for horns.

Subclass 662: Under SEE OR SEARCH CLASS

Delete:

The reference to Class D10

Insert:

D10, Measuring, Testing or Signalling Instruments, subclass 46.1 for lap counter or scorekeeper or indicator; and subclass 83 for designs for strength-measuring devices.

Subclass 698: Under SEE OR SEARCH CLASS

Delete:

The reference to Class D10

Insert:

D10, Measuring, Testing or Signalling Instruments, subclass 46.1 for lap counter or scorekeeper or indicator; subclass 70 for designs of range finder instruments; subclass 83 for designs for strength-measuring devices.

Subclass 780: Under SEE OR SEARCH CLASS

Delete:

The reference to Class D10

Insert:

D10, Measuring, Testing or Signalling Instruments, subclass 46.1 for counter or scorer for game or sport.

Subclass 785: Under SEE OR SEARCH CLASS

Delete:

The reference to Class D10

Insert:

D10, Measuring, Testing or Signalling Instruments, subclass 46.1 for counter or scorer for game or sport.

Subclass 788: Under SEE OR SEARCH CLASS

Delete:

The reference to Class D10



Insert:

D10, Measuring, Testing or Signalling Instruments, subclass 46.1 for counter or scorer for game or sport; subclass 119.3 for whistles.

Subclass 789: Under SEE OR SEARCH CLASS

Delete:

The reference to Class D10

Insert:

D10, Measuring, Testing or Signalling Instruments, subclass 46.1 for counter or scorer for game or sport; subclass 70 for designs of range finder instruments.

Subclass 811: Under SEE OR SEARCH CLASS

Delete:

The reference to Class D10

Insert:

D10, Measuring, Testing or Signalling Instruments, subclass 119.3 for whistles; subclass 120 for horns.

## CLASS D22 – ARMS, PYROTECHNICS, HUNTING AND FISHING EQUIPMENT

Definitions Modified:

Class Definition: Under SECTION II, REFERENCES TO OTHER CLASSES, SEE OR SEARCH CLASS

Delete:

The reference to Class D10

Insert:

D10, Measuring, Testing, or Signalling Instruments, subclasses 46+ for designs of sonar or radar equipment, subclass 107 for buoys, and subclasses 114.1-114.9 for flashing, warning or directing-type lights.

Subclass 134: Under SEE OR SEARCH CLASS

Delete:

The reference to Class D10

Insert:

D10, Measuring, Testing, or Signalling Instruments, subclasses 46+ for designs of sonar or radar equipment, subclass 107 for buoys, and subclasses 114.1-114.9 for flashing, warning or directing-type lights.

## CLASS D26 - LIGHTING

Definitions Modified:

Class Definition: Under SECTION II, REFERENCES TO OTHER CLASSES, SEE OR SEARCH CLASS

Delete:

The reference to Class D10

Insert:

D10, Measuring, Testing, or Signalling Instruments subclasses 111-115 for signal-type lamp or reflector; subclass 112 for ignition timing light; subclasses 114.1-114.9 for flashing, warning, or directing-type light; and subclass 115 for designs for traffic signals.

Subclass 1: Under SEE OR SEARCH CLASS

Delete:

The reference to Class D10

Insert:

D10, Measuring, Testing, or Signalling Instruments subclasses 111-115 for signal-type lamp or reflector; subclass 112 for ignition timing light; subclasses 114.1-114.9 for flashing, warning, or directing-type light; and subclass 115 for designs for traffic signals.

Subclass 24: Under SEE OR SEARCH CLASS

Delete:

The reference to Class D10

Insert:

D10, Measuring, Testing, or Signalling Instruments subclasses 111-115 for signal-type lamp or reflector; subclass 112 for ignition timing light; subclasses 114.1-114.9 for flashing, warning, or directing-type light; and subclass 115 for designs for traffic signals.

## CLASS D29 – EQUIPMENT FOR SAFETY, PROTECTION AND RESCUE

Definitions Modified:

Class Definition: Under SECTION II, REFERENCES TO OTHER CLASSES, SEE OR SEARCH CLASS

Delete:

The reference to Class D10

Insert:

D10, Measuring, Testing, or Signalling Instruments subclasses 104.1-121 for security or signal instruments or casings, especially subclasses 106.1-106.95 for alarms, subclasses 111- 115 for signal-type lamp or reflector and subclasses 114.1-114.9 for flashing, warning, or directing-type light.

Subclass 124: Under SEE OR SEARCH CLASS

Delete:

The reference to Class D10

Insert:

D10, Measuring, Testing, or Signalling Instruments subclasses 104.1-121 for security or signal instruments or casings, especially subclasses 106.1-106.95 for alarms, subclasses 111- 115 for signal-type lamp or reflector and subclasses 114.1-114.9 for flashing, warning, or directing-type light.

Subclass 125: Under SEE OR SEARCH CLASS

Delete:

The reference to Class D10

Insert:

D10, Measuring, Testing, or Signalling Instruments subclasses 104.1-121 for security or signal instruments or casings, especially subclasses 106.1-106.95 for alarms, subclasses 111- 115 for signal-type lamp or reflector and subclasses 114.1-114.9 for flashing, warning, or directing-type light.