

U.S. DEPARTMENT OF COMMERCE  
PATENT AND TRADEMARK OFFICE

CLASSIFICATION ORDER 1914

JANUARY 3, 2012

PROJECT D-7409

**The following classification changes will be effected by this order:**

	<u>Class</u>	<u>Subclass</u>	<u>Art Unit</u>	<u>Ex'r Search Room</u>
<b>Abolished:</b>	D25	38, 41, 47-54	2914	RND0000A51
<b>Established:</b>	D25	38.1, 41.1, 47.1, 48.1- 48.8	2914	RND0000A51
<b>Title Change(s):</b>	D25	45, 55, 56, 58, 60, 61, 63, 68, 106, 109, 111, 113, 114, 119, 136, 138, 145, 151, 152, 157, 164	2914	RND0000A51

**The following classes are also impacted by this order:**  
D6, D21, D23

**No other classes were impacted by this order.**

**This order includes the following:**

- A. CLASSIFICATION MANUAL CHANGES
- B. LISTING OF PRINCIPAL SOURCE OF ESTABLISHED AND DISPOSITION OF ABOLISHED SUBCLASSES
- D. DEFINITION CHANGES AND NEW OR ADDITIONAL DEFINITIONS

CLASSIFICATION ORDER 1914

JANUARY 3, 2012

PROJECT D-7409

Project Leader(s): P. K. White

Examiner(s): Doris Clark, Robert Spear

Editor(s): Mildred Chisholm

Publications Specialist(s): Yvonne Smith

1	<b>STRUCTURE</b>	46	...Barbed
2	.Swimming pool	47.1	.Window well or window well cover
3	.Combined with diverse article, e.g., airport complex, etc.	48.1	.Closure
4	.Clustered identical units	48.2	..Weatherstrip, threshold, or sill
5	.Four or more levels	48.3	..For passage, e.g., door, etc.
6	..Tower	48.4	...Flexible or folding
7	.Simulative	48.5	...Gate
8	..Animate	48.6	....Turnstile
9	..Humanoid	48.7	..Window
10	..Edible article or container therefor	48.8	..Screen, grill, or guard
11	..Vehicle	55	.Finishing unit (7)
12	.Arena or stadium	56	..Roof or canopy (8)
13	.Geodesic dome (1)	57	...Awning type
14	.Grain storage	58	..Partition, wall or ceiling (9)
15	.Greenhouse	59	...Exterior, e.g., storefront
16	.Single occupant type, i.e., telephone booth, privy, ticket booth, etc. (2)	60	..Surround for door window, panel, etc. (10)
17	.Having intersecting angular or curved roofs (3)	61	.Framing unit, e.g., building frame (11)
18	.Having curved or vaulted roof	62	<b>STAIR, LADDER, SCAFFOLD, OR SIMILAR SUPPORT</b>
19	..Dome	63	.Stepped (12)
20	..Sinuous	64	..Ladder
21	..Concave, catenary or flexibly suspended	65	...Step stool type
22	.Having angular roof	66	.Scaffold
23	..Trapezoidal or triangular surface	67	.Sawhorse
24	...Gambrel type	68	.Element of attachment (13)
25	...Mansard type	69	..Stair tread, step or ladder rung
26	...Pyramidal	100	<b>TRELLIS OR TREILLAGE UNIT</b>
27	...Zig-zag type, i.e., sawtooth	101	.Simulative
28	...Inverted	102	<b>ARCHITECTURAL STOCK MATERIAL</b>
29	...A-frame type	103	.Transparent or translucent
30	...Isolated slanted surface	104	..Simulative
31	.Circular or oval in plan	105	...Plant life
32	.Polygonal in plan	106	..Three or more pattern repeats about axis on side (14)
33	.Fully enclosed	107	...Hollow type
34	..Having carport or garage	108	..Hollow type
35	<b>PREFABRICATED UNIT</b>	109	..Symmetrical on two axes on one side (15)
36	.Underground service vault (4)	110	..Unidirectional repeat pattern
37	.Elevator cab interior (5)	111	..Random arrangement of pattern elements within repeat unit (16)
38.1	.Railing unit or fence	112	.Splash block
39	..Combined, e.g., fence and gate	113	.Construction block or brick type (17)
40	..Simulative	114	..Perforated or openwork (18)
41.1	..Grab rail	115	...Symmetrical
42	..Post or board extending above rail, e.g., picket type	116	....Arcuate detail
43	..Post and rail type	117	.....Circular or oval
44	...Rail centered on post		
45	..Wire type (6)		

118	...Rectangular or square detail	151	...Brick or stone (23)
119	..Extruded shape (19)	152	..Perforated or openwork (24)
120	..Three or more repeats, or uniform configuration, about axis	153	...Symmetrical pattern or pattern unit
121	..Bilaterally symmetrical	154	...Arcuate
122	...With hollow core	155	....Circular or oval
123	...Parallel repeating ribs or grooves	156	...Rectangular or square
124	..With hollow core	157	..Symmetrical pattern or pattern unit (25)
125	..Parallel repeating ribs or grooves	158	...Three or more repeats, or uniform configuration, about axis
126	..Post or beam	159	...Consisting entirely of material having uniform thickness
127	..With cross arm or cantilevered support	160	...On two axes
128	..Three or more repeats, or uniform configuration, about axis	161	...Consisting entirely of material having uniform thickness
129	..Vertically fluted	162	...Consisting entirely of material having uniform thickness
130	..Simulative	163	..Textured (e.g., pitted, cratered, drilled, etc)
131	..With notch or tang for receiving attachment (e.g., fencing wire, etc.)	164	..Elongated (26)
132	..Openwork type or with opening	199	<b>MISCELLANEOUS</b>
133	..Element or attachment		SEARCH NOTES FOR CLASS D25.
134	..Cross arm or cantilevered support		(1) For arcuate dome, see subclass 19.
135	...Capital or cap		(2) Includes structures that enclose a person. For freestanding telephone booth with privacy screen, see D6/421. For telephone booth that is wall mountable, see D6/553-574.
136	..Elongated molding type (e.g., crown, dentil, etc.) (20)		(3) Search subclasses 56+ for roof, per se.
137	..Simulative		(4) Includes element. For window well or window well cover, see subclass 47.1.
138	..Panel, tile or applique of floor, wall, roof, etc. (21)		(5) For elevator, see D34-33.
139	..Roofing, or wall shingle		(6) Includes element. For optical door viewer, see D16/130-137.
140	...Tile type		(7) Includes rigid drapery cornice.
141	...Stamped, crimped or bent material having uniform thickness		(8) If structure has wall, see subclasses 1+.
142	...Perforated or openwork		(9) Includes stage set.
143	...Three or more repeats, or uniform configuration, about axis		(10) Includes arch structure.
144	...Symmetrical on two axes		(11) Includes cantilever support.
145	..Relief carving or medallion type (22)		(12) For mobile stairs, which may include a platform, see D34/30.
146	...Humanoid simulation		
147	...Three or more repeats, or uniform configuration, about axis (e.g., medallion, etc.)		
148	...Symmetrical on two axes		
149	..Simulative, or natural material pattern		
150	...Wood grain		

- (13) For component that is adaptable to other article, such as handrail, post, etc., see subclasses 102+.
- (14) Planar surface not considered.
- (15) Planar surface not considered.
- (16) If repeat protocol is apparent from the disclosure, patent is classified under earlier subclasses. If, however, the disclosed pattern element does not indicate how it can repeat, patent is classified here.
- (17) For edging, see subclass 164.
- (18) Opening must extend through the article.
- (19) To be classified in this subclass, article must be a building construction element and have uninterrupted extruded shape. If openings, protusions, rivets, vertical striations, etc., are disclosed with an elongated article, patent is classified in subclasses 126, 136 or 164. For articles with specific end configuration such as fence picket, see subclasses 126-135.
- (20) If molding has extruded shape, see subclasses 119+. For corner or end piece, see subclass 102.
- (21) For generic elongated building elements having indefinite length, see subclass 164.
- (22) For embossed panelwork or for grill, see subclasses 138, 152 or 157.
- (23) For brick per se, see subclasses 113+.
- (24) Opening must extend through the article. Otherwise patent is classified in subclasses which follow.
- (25) Exclusive of random acoustic texture within symmetrical pattern unit, or of tongue or groove edge detail.
- (26) Includes railing, edging, etc. However, if railing, etc. has an extruded shape, patent is classified in subclasses 119+. For corner or end piece, see subclass 102.

CLASS D25 - BUILDING UNITS AND CONSTRUCTION ELEMENTS

Additions and Modifications to the Class Schedule:

In the Class Schedule: Under SEARCH NOTES FOR CLASS D25

Subclass 45:

Delete:

(7)

Insert:

(6)

Subclass 55:

Delete:

(10)

Insert:

(7)

Subclass 56:

Delete:

(11)

Insert:

(8)

Subclass 58:

Delete:

(12)

Insert:

(9)

Subclass 60:

Delete:

(13)

Insert:

(10)

Subclass 61:

Delete:

(14)

Insert:

(11)

Subclass 63:

Delete:

(15)

Insert:

(12)

Subclass 68:

Delete:

(16)

Insert:

(13)

Subclass 106:

Delete:

(17)

Insert:

(14)

Subclass 109:

Delete:

(18)

Insert:

(15)

Subclass 111:

Delete:

(19)

Insert:

(16)

Subclass 113:

Delete:

(20)

Insert:

(17)

Subclass 114:



Delete:

(21)

Insert:

(18)

Subclass 119:

Delete:

(22)

Insert:

(19)

Subclass 136:

Delete:

(23)

Insert:

(20)

Subclass 138:

Delete:

(24)

Insert:

(21)

Subclass 145:

Delete:

(25)

Insert:

(22)

Subclass 151:

Delete:

(26)

Insert:

(23)

Subclass 152:

Delete:

(27)

Insert:

(24)

Subclass 157:

Delete:

(28)

Insert:

(25)

Subclass 164:

Delete:

(29)

Insert:

(26)

In the Class Schedule: Under SEARCH NOTES FOR CLASS D25

Delete:

(6), (8), (9)

Delete:

(2) Includes structures that enclose a person.

Insert:

(2) Includes structures that enclose a person. For freestanding telephone booth with privacy screen, see D6/421. For telephone booth that is wall mountable, see D6/553-574.

Delete:

(4) Includes element.

Insert:

(4) Includes element; For window well or window well cover, see subclass 47.1.

Delete:

(7) Includes element.

Insert:

(6) Includes element. For optical door viewer, see D16/130-137.

Delete:

(15) For mobile stairs, see D34-30.

Insert:

- (12) For mobile stairs which may include a platform, see D34/30.

Delete:

- (22) To be classified in this subclass, article must have uninterrupted extruded shape. If openings, protrusions, rivets, vertical striations, etc., are disclosed with an elongated article, patent is classified in subclasses 126, 136 or 164. For articles with specific end configuration such as fence picket, see subclasses 126+.

Insert:

- (19) To be classified in this subclass, article must be a building construction element and have uninterrupted extruded shape. If openings, protrusions, rivets, vertical striations, etc., are disclosed with an elongated article, patent is classified in subclasses 126, 136 or 164. For articles with specific end configuration such as fence picket, see subclasses 126-135.

Delete:

- (24) For generic elongated stock material having indefinite length, see subclass 164.

Insert:

- (21) For generic elongated building elements having indefinite length, see subclass 164.

Renumber: The search notes as follows:

(7) renumber as (6)

(10) renumber as (7)

(11) renumber as (8)

(12) renumber as (9)

(13) renumber as (10)

(14) renumber as (11)

(15) renumber as (12)

(16) renumber as (13)

(17) renumber as (14)

(18) renumber as (15)

(19) renumber as (16)

(20) renumber as (17)

(21) renumber as (18)

(22) renumber as (19)

(23) renumber as (20)

(24) renumber as (21)

(25) renumber as (22)

(26) renumber as (23)

(27) renumber as (24)

(28) renumber as (25)

(29) renumber as (26)

JANUARY 3, 2012

PROJECT - D-7409

SOURCE CLASSIFICATION(S) OF PATENTS  
IN NEWLY ESTABLISHED SUBCLASSES REPORT

Generated by Data Control Division

<u>New Classification</u>	<u>Number of ORs</u>	<u>Source Classification</u>	<u>Number of ORs</u>
D25/38.1	1	D25/48	403
	1	D25/50	109
	1	D25/53	107
	2	D25/38	226
	3	D25/47	71
	212	D25/38	226
D25/41.1	4	D25/38	226
	6	D25/41	24
	18	D25/41	24
D25/47.1	1	D25/48	403
	2	D25/47	71
	5	D25/38	226
	22	D25/54	23
D25/48.1	1	D25/48	403
	1	D25/49	105
	57	D25/47	71
D25/48.2	1	D25/54	23
	3	D25/48	403
D25/48.3	1	D25/48	403
	1	D25/49	105
	1	D25/50	109
	1	D25/52	131
	4	D25/53	107
	379	D25/48	403
D25/48.4	1	D25/51	26
	14	D25/48	403
	102	D25/49	105
D25/48.5	1	D25/48	403
	2	D25/38	226
	107	D25/50	109
D25/48.6	25	D25/51	26
D25/48.7	1	D25/48	403
	1	D25/49	105
	1	D25/52	131
	7	D25/47	71
	128	D25/52	131
D25/48.8	1	D25/38	226
	1	D25/48	403
	1	D25/52	131
	2	D25/47	71
	102	D25/53	107

JANUARY 3, 2012

PROJECT D-7409

DISPOSITION CLASSIFICATION(S) OF PATENTS  
FROM ABOLISHED SUBCLASSES REPORT

Generated by Data Control Division

<u>Source Classification</u>	<u>Number of ORs</u>	<u>New Classification</u>	<u>Number of ORs</u>
D25/53	107	D25/48.3	4
D25/38	226	D25/48.8	1
		D25/48.5	2
D25/49	105	D25/48.3	1
D25/52	131	D25/48.7	1
D25/41	24	D25/41.1	6
D25/47	71	D25/38.1	3
D25/51	26	D25/48.6	25
D25/52	131	D25/48.3	1
D25/51	26	D25/48.4	1
D25/48	403	D25/48.8	1
		D25/48.4	14
		D25/48.2	3
		D25/48.7	1
D25/38	226	D25/41.1	4
D25/48	403	D25/48.1	1
D25/50	109	D25/48.5	107
D25/48	403	D25/48.5	1
D25/38	226	D25/38.1	212
D25/48	403	D25/48.3	1
D25/38	226	D25/38.1	2
D25/52	131	D25/48.8	1
D25/53	107	D25/48.8	102
D25/48	403	D25/38.1	1
		D25/47.1	1
		D25/48.3	379
D25/49	105	D25/48.1	1
		D25/48.4	102
D25/47	71	D25/47.1	2
D25/53	107	D25/38.1	1
D25/54	23	D25/48.2	1
D25/52	131	D25/48.7	128
D25/49	105	D25/48.7	1
D25/47	71	D25/48.8	2
D25/41	24	D25/41.1	18
D25/47	71	D25/48.1	57
D25/50	109	D25/48.3	1
		D25/38.1	1
D25/38	226	D25/47.1	5
D25/54	23	D25/47.1	22
D25/47	71	D25/48.7	7

CLASS D6 – FURNISHINGS

Subclass 575: Under SEE OR SEARCH CLASS

Delete:

Entire reference to D25

Insert:

D25, Building Units and Construction Elements, subclass 48.7 for window; subclass 48.8 for window screen or grill; subclass 47.1 for window well cover; subclass 55 for rigid drapery valance or cornice.



## CLASS D21 - GAMES, TOYS, AND SPORTS GOODS

Subclass 494: Under SEE OR SEARCH CLASS

Delete:

Entire reference to D25

Insert:

D25, Building Units and Construction Elements, subclasses 48.1- 48.8 for a closure such as a door or window; subclasses 62-69 for stair or staircase; subclasses 102-164 for architectural stock material.

Subclass 801: Under SEE OR SEARCH CLASS

Delete:

Entire reference to D25

Insert:

D25, Building Units and Construction Elements, subclass 2 for swimming pool; subclass 41.1 for swimming pool grab rail; subclasses 64 and 65 for ladder.

Subclass 802: Under SEE OR SEARCH CLASS

Delete:

Entire reference to D25

Insert:

D25, Building Units and Construction Elements, subclass 2 for swimming pool; subclass 41.1 for swimming pool grab rail; subclasses 64 and 65 for ladder.

CLASS D23 - ENVIRONMENTAL HEATING AND COOLING; FLUID HANDLING AND  
SANITARY EQUIPMENT

Class Definition: Under SECTION II - REFERENCES TO OTHER CLASSES, SEE OR  
SEARCH CLASS

Delete:

The entire reference to D25

Insert:

D25, Building Units and Construction Elements, subclass 48.7 for skylight.

## CLASS D25 - BUILDING UNITS AND CONSTRUCTION ELEMENTS

Definitions Abolished:Subclass(es)

38, 41, 47-54

Definitions Modified:

Subclass 35: In (1) Note

Delete:

Entire (1) Note

Insert:

- (1) Note. Includes only plural components that are preassembled as a unit, such as a steeple, cupola, building façade and interior, and restaurant service area.

Subclass 102: Under the Definition

Insert:

- (1) Note. Includes railing, corner, or end piece. Under See or Search Class in the D6 search note prior to "582-594" 396 for merchandise display.

Subclass 199: Under the Definition

Insert:

- (1) Note. Includes roof flashing

Definitions Established:**38.1 Railing unit or fence:**

This subclass is indented under the subclass 35. Design for a prefabricated unit which is a barrier or structure to impede movement, enclose an area, or for support which is a railing unit or fence.

- (1) Note. This subclass and its indents provide railings in buildings, outdoor fences, and fence attachment ornaments, parts of fences and parts of railings.



Figure 1. Example of a design for a fence.




Figure 2. Example of a design for a fence ornament assembly.




Figure 3. Example of a design for a rail.



Figure 4. Example of a design for a modular corral component.

SEE OR SEARCH THIS CLASS, SUBCLASS

119-125, for extruded handrail

126-135, for a post

SEE OR SEARCH CLASS

D8, Tools and Hardware, subclasses 300- 322 for handles, knobs, or pulls and more specifically subclasses 313 and 314 for handles, knobs, or pulls with recessed finger grip, subclasses 315- 320 for bar type handles, knobs or pulls with gripping surface spaced from mounting surface, subclasses 323-329 for hinges, subclasses 330-348 for locking or closing devices.

D26, Lighting, subclasses 67-71 for lighting with a provision for post attachment or ground insertion and subclass 153 for spindle or column for lighting.

**41.1 Grab rail:**

This subclass is indented under subclass 38.1. Design for a railing unit with a rail or bar which is used for supporting a user to prevent falling.

- (1) Note. The grab rails included in this subclass include those which can be installed in bathtubs, showers, and swimming pools, etc.



Figure 1. Example of a design for a grab rail.




Figure 2. Example of a design for a gangway hand rail.



Figure 3. Example of a design for a swimming pool grab rail

SEE OR SEARCH THIS CLASS, SUBCLASS

119-125, for extruded handrails

SEE OR SEARCH CLASS

D6, Furnishings, subclass 533 for soap dish with a grab bar.

**47.1 Window well or window well cover:**

This subclass is indented under subclass 35. Design for a shield or protective guard for a window well, the window well, or window well panel.

- (1) Note. A window well is an insert used to isolate windows from moisture when they are below the soil line.




Figure 1. Example of a design for a window well cover.




Figure 2. Example of a design panel for a window well area wall.




Figure 3. Example of a design for a window well.

**48.1 Closure:**

This subclass is indented under subclass 35. Design for a prefabricated unit which is intended to cover or temporarily block or close off an interior or exterior opening of a building or area.

- (1) Note. This subclass includes shutters and shutter elements.
- (2) Note. This and the indented subclasses include a combination with surround (e.g., trim).



Figure 1. Example of a design for a framed shutter.



Figure 2. Example of a design for a storm shutter.

SEE OR SEARCH THIS CLASS, SUBCLASS

60, for surround, per se, for a door, window, or panel, etc.

SEE OR SEARCH CLASS

D8, Tools and Hardware, subclasses 300- 322 for handles, knobs, or pulls and more specifically subclasses 313 and 314 for handles, knobs, or pulls with recessed finger grip subclasses 315-320 for bar type handles, knobs or pulls with gripping surface spaced from mounting surface, subclasses 323-329 for hinges, subclasses 330-348 for locking or closing devices, subclasses 400-404 for door or window fittings such as knockers, stops, bumpers and push plates.

D30, Animal Husbandry, subclasses 108-120 for shelter, pen, or other enclosure specially adapted for animals.

**48.2 Weatherstrip, threshold, or sill:**

This subclass is indented under subclass 48.1. Design for a weatherstrip, threshold, or sill or combination thereof at an entryway.

(1) Note. Weatherstrips, thresholds or sills are normally associated with windows or doors. Thresholds and sills are found at the base of doors or windows.

SEE OR SEARCH THIS CLASS, SUBCLASS

119 – 125, for architectural stock material with uninterrupted extruded shape, e.g., extruded framing channel, etc.



Figure 1. Example of a design for a combined door sill and threshold.





Figure 2. Example of a design for a door sill.




Figure 3. Example of a design for a door threshold.



Figure 4. Example of a design for a weatherstrip.

**48.3 For passage, e.g., door, etc.:**

This subclass is indented under subclass 48.1. Design for an interior or exterior closure for an opening of a building or area which allows normal entry or exit such as a door.

- (1) Note. Included in this and the indented subclasses are pet doors, garage doors, doors without frames, sliding doors, screen doors, revolving doors, door facings or skins, etc.




Figure 1. Example of a design for a door.




Figure 2. Example of a design for a high definition door skin with soft arch.



Figure 3. Example of a design for a two way pet door and frame.




Figure 4. Example of a design for a revolving door.

**48.4 Flexible or folding:**

This subclass is indented under subclass 48.3. Design for a flexible or folding interior or exterior closure for an opening of a building or area which allows normal entry or exit such as a door.

- (1) Note. This subclass includes folding doors, bi-fold doors, sectional overhead doors or sectional garage doors.
- (2) Note. Telescoping closures are not considered flexible or folding for the purposes of this subclass.

SEE OR SEARCH THIS CLASS, SUBCLASS

48.5, for telescoping gates




Figure 1. Example of a design for a folding door.




Figure 2. Example of a design for a roll up door.



Figure 3. Example of a design for a bi-fold door.

**48.5 Gate:**

This subclass is indented under subclass 48.3. Design for a moveable or temporary closure used to close an opening in a wall, fence, or other enclosure such as a doorway or stairway.

- (1) Note. This subclass includes gates for fences, portable security gates for stairs or doorways, ticket gates, telescoping gates, etc.




Figure 1. Example of a design for a wooden hand carved two-doors swinging gate.




Figure 2. Example of a design for a doorway safety gate.




Figure 3. Example of a design for an automated ticket gate.





Figure 4. Example of a design for a security gate.

**48.6 Turnstile:**

This subclass is indented under subclass 48.5. Design for a mechanical gate normally consisting of revolving arms fixed to a post allowing one person to pass at a time or to enforce one-way foot traffic.



Example of a design for a turnstile.

**48.7 Window:**

This subclass is indented under subclass 48.1. Design for an opening in a wall or roof of a structure which is normally fitted with glass to admit light and sometimes air.




Figure 1. Example of a design for a window.




Figure 2. Example of a design for a skylight.

#### SEE OR SEARCH CLASS

D12, Transportation, subclasses 181- 183 for windows specific to vehicles such as ships, automobiles, etc.

#### **48.8 Screen, grill, or guard:**

This subclass is indented under subclass 48.1. Design for a window or door insertion for permitting air flow, protecting from insects, etc., or a window or door grill or guard for protecting the window or door.

- (1) Note. This subclass includes only screens, grills, or guards that are designed solely for a window or door.




Figure 1. Example of a design for a window screen.




Figure 2. Example of a design for a door grill.

SEE OR SEARCH THIS CLASS, SUBCLASS

152-156, for grilles or openwork panels adaptable to architectural uses other than solely as a screen, grill, or guard for a window or door.

SEE OR SEARCH CLASS

- D5, Textile or Paper Yard Goods; Sheet Material, subclasses 1-3 for perforated sheet material.
- D23, Environmental Heating and Cooling; Fluid Handling and Sanitary Equipment, subclass 267 for a gutter.